LEMBAR HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW* KARYA ILMIAH : JURNAL ILMIAH

1.	Judul Jurnal Ilmiah (Artikel)	:	Early model of student's graduation prediction based on neural network
3. 4.	Jumlah Penulis Penulis Jurnal Ilmiah Status pengusul Identitas Jurnal Ilmiah		2 orang Budi Rahmani, Hugo Aprilianto Ketua (Penulis Pertama)
	a. Nama Jurnal b. ISSN/e-ISSN		Telkomnika 1693-6930 (e-ISSN: 2302-9293)

b. Volume, Nomor, Edisi (tahun) : Vol 4, No. 4, June 2014
d. Penerbit : Universitas Ahmad Dahi

d. Penerbit : Universitas Ahmad Dahlan, 4th Campus, 9th Floor, LPPI Room e. Halaman/Jumlah halaman : 465-474

Jurnal Ilmiah Nasional TerakreditasiJurnal Ilmiah Nasional Tidak Terakreditasi

7. Hasil Penilaian Peer Review:

	Nilai Maksimal Jurnal Ilmiah				Nilai Akhir	
Komponen Yang Dinilai	Internasional bereputasi	Internasional	Nasional Terakreditasi	Nasional Tidak Terakreditasi	Yang Diperoleh	
a. Kelengkapan unsur isi Artikel ilmiah (10%)	4	3	2.5	1	3,8	
b. Ruang lingkup dan kedalaman pembahasan (30%)	12	9	7.5	3	11,5	
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	12	9	7.5	3	12	
d. Kelengkapan unsur dan kualitas penerbit (30%)	12	9	7.5	3	11.8	
Total = (100%)	40	30	25	10	39,1	

Catatan reviewer:

- Matada yang digunakan hagus.
- Hasil pengujian di atas 95% akurat.

- Roforonsi momadai.

Yogyakarta, 31 Januari 2020 Reviewer I,

Dr. Agus Qomaruddin Munir, S.T., M.Cs. NIDN. 0518038301

Unit kerja: Prodi. Manajemen Informatika pada Universitas Respati Yogyakarta

LEMBAR HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW KARYA ILMIAH : JURNAL ILMIAH

1. Judul Jurnal Ilmiah (Artikel) : Early model of student's graduation prediction based on neural network

Jumlah Penulis
 Penulis Jurnal Ilmiah
 Status pengusul
 Ketua (Penulis Pertama)

5. Identitas Jurnal Ilmiah

a. Nama Jurnal : Telkomnika
b. ISSN/e-ISSN : 1693-6930 (e-ISSN: 2302-9293)
b. Volume, Nomor, Edisi (tahun) : Vol 4, No. 4, June 2014

d. Penerbit : Universitas Ahmad Dahlan, 4th Campus, 9th Floor, LPPI Room

e. Halaman/Jumlah halaman : 465-474

f. Tautan jurnal/artikel : https://s.id/cvTPG

- Jurnal Ilmiah Nasional Terakreditasi

- Jurnal Ilmiah Nasional Tidak Terakreditasi

7. Hasil Penilaian Peer Review:

		Nilai Maksimal Jurnal Ilmiah			
Komponen Yang Dinilai	Internasional bereputasi	Internasional	Nasional Terakreditasi	Nasional Tidak Terakreditasi	Yang Diperoleh
a. Kelengkapan unsur isi Artikel ilmiah (10%)	4	3	2.5	I	4
b. Ruang lingkup dan kedalaman pembahasan (30%)	12	9	7.5	3	12
c. Kecukupan dan kemutahiran data/informasi dan metodologi (30%)	12	9	7.5	3	11
d. Kelengkapan unsur dan kualitas penerbit (30%)	12	9	7.5	3	1/
Total = (100%)	40	30	25	10	38

Catatan reviewer:

956 bagion subah remenuhi known sehonusnya & perharbasan Sangal datil.

Jakarta, Or Flbruori 2020 Reviewer 2,

Dr. Indra,/S.Kom., M.T.I NIDN. 0322038603

Unit kerja: Prodi. Teknik Informatika pada

Universitas Budi Luhur

Paper 4 by Budi Rahmani

Submission date: 10-Nov-2021 04:27PM (UTC+0700)

Submission ID: 1698649402

File name: Paper_4_47-47-1-PB.pdf (314.54K)

Word count: 4212

Character count: 17859

DOI: 10.12928/TELKOMNIKA.v12i2.1603

465

Early Model of Student's Graduation Prediction Based on Neural Network

Budi Rahmani*1, Hugo Aprilianto2

Program Studi Teknik Informatika, STMIK Banjarbaru
JI. Jend. Ahmad Yani Km. 33,5 Loktabat Banjarbaru, 05113251836
*Corresponding author, e-mail: budirahmani@gmail.com¹, hugo_aprilianto@yahoo.com²

Abstract

Predicting timing of student graduation would be a valuable input for the management of a Department at a University. However, this is a difficult task if it is done manually. With the help of learning on the existing Artificial Neural Networks, it is possible to provide training with a certain configuration, in which based on experience of previous graduate data, it would be possible to predict the time grouping of a student's graduation. The input of the system is the performance index of the first, second, and third semester. Based on testing performed on 166 data, the Artificial Neural Networks that have been built were able to predict with up to 99.9% accuracy.

Keywords: prediction, time of graduation, Artificial Neural Network, Back-propagation

1. Introduction

STMIK Banjarbaru is one of many universities endeavouring to raise its accreditation status, in which one of its components is the period of study for students [1]. Table 1 shows the Student Graduation Level Data at the Fourth Graduation in 2012.

Table 1. STMIK Banjarbaru Student Graduation Level Data at the Fourth Graduation in 2012

Period of	Department of Informatics Techniques		Department of System Information		
Yudisium	Graduation Time	Average of GPA	Graduation Time	Average of GPA	
June 2011	5 years and 4 months	2.91	5 years and 3 months	2.74	
October 2011	4 years and 9 months	3.02	4 years and 11 months	2.89	
January 2013	5 years and 1 months	2.93	5 years and 2 months	2.79	

In another research the GPA (Grade Point Average), the number of courses taken, the number of repeated courses and the number of certain courses taken can affect the duration period of study [2]. This was similarly stated in another research using regression trees, in which it was ascertained that the variables that can be used to differentiate the length of a student study period are the GPA, the duration of completing a mini-thesis and the faculty [3].

Based on the facts above, especially for STMIK Banjarbaru, in order to predict the period of study of a student, one can use the GPA data obtained from a person during the initial period of study (semester 1-3). This of course depends on the expectation that the academics at STMIK Banjarbaru have implemented preventive measures to avoid surpassing the ideal nine semester study period or the maximum of 3.5 years, in order for the graduation status to improve, besides increasing the point/grade, which is also one of the criteria for evaluating accreditation.

There is an assumption in some literature that the concept of Artificial Neural Network (ANN) began with the paper of Waffen McCulloch and Walter Pitts in 1943. In that paper they tried to formulate a mathematical model of brain cells. The method which was developed base 13 in the biology of the nervous system, was a step forward in the computer industry. The Artificial Neural Network is an information processing paradigm that was inspired by the biological nervous system cells, similar to the brain in processing

information. The basic element of the aforementioned paradigm is a new structure of the information processing system. The Artificial Neural Network, like a human, learns from an example. The Artificial Neural Network was formed to solve certain problems such as recognition of patterns or classification due to the learning process. The Artificial Neural Network has developed rapidly in the past few years [4]. The enormous interest in Artificial Neural Networks that recently occurred was due to several factors. First, the pattern of training which was developed to become a smarter network model that could solve problems. Second, digital computers with high speeds have made network process simulation easier to do. Third, today's technology provides specific hardware for neural networks. At the same time the development of traditional computing has made Artificial Neural Networks learning easier, the limitations faced by traditional computers have motivated several directions of research on Artificial Neural Networks [5].

The network use to predict the duration of study period is the backpropagation Artificial Neural Network. This network has several layers, namely the input layer, output layer and several hidden layers. These hidden layers assist the network to recognize more input patternament to networks that do not have hidden layers [6],[7].

The backpropagation training process requires three stages, namely the feedforward data input for training, backpropagation for error values, and adjustment for the weight value of each node of individual layers. Beginning with the feedforward input value, each first input unit (xi) receives an input signal which will be subsequently transmitted to the hidden layer Z1,...,Zp. The j hidden unit will then calculate the signal (Zj) value, which will be transmitted to the output layer, using the f activation function.

$$z_{in_j} = \theta_{ij} + \sum_{i=1}^n x_i \ v_j$$

And

$$z_i = f(z_i)$$

where θ_{ij} = hidden bias of the j unit. The bias value and initial weight can be taken randomly. Each unit of k output

$$Y_k = \theta_{2k} + \sum j Z_k W_{jk}$$
 and Y_k

where θ_{2k} = hidden bias of the k unit. Throughout the duration of the training process, each output unit compares the target value (Tm) for an input pattern to calculate the parameter value which will correct (update) the weight value of each unit in the individual layers.

The process of training the backpropagation algorithm has an activation function that must have the following characteristics, namely con 15 yously, differentiable, and monotonically decreasing. One of the most used functions is the sigmoid function that has a range of 0 to 1 [6] [7] [8].

$$f(x) = \frac{1}{1 + \exp(-x)}$$

2. Research Method

In predicting the duration of study for STMIK Banjarbaru students, the writer used secondary data obtained from the Academic Affairs section of the STMIK Banjarbaru campus in which as many as 166 samples of student data who graduated in 2011 and 2012 were taken. Generally, the system to be developed was trying to apply the NN (Neural Network) method by using the semester 1, 2 and 3 Grade Point input. The hope was, after testing, NN accuracy would be obtained that would be compared to the alumni data already available to predict the duration of study for students.

2.1. Use case diagram dan Sequence Diagram

If figured in the form of a usecase diagram, the tools to be built are as follows:




Figure 1. Usecase diagram

From the Figure above one can see that there are three cases that can be done by the system, namely receive the input from the grade point variable, training and testing process by the JST backpropagation, and lastly, is the prediction result that is given [4]. To be more detailed, what is done by the system can be figured in the diagram sequence as follows:




Figure 2. Sequence diagram

2.2. Determination of data for training and testing

The following example data was obtained from the STMIK Banjarbaru BAAK (Biro Administrasi Akademik dan Kemahasiswaan/Bureau of Administration and Academic Affairs), namely among others:

468 ■ ISSN: 1693-6930

Table 2. Judisium Data of June 2011 of the Department of Informatics Techniques. (Judisium is date of decision to graduate a student)

(Judisium is date of decision to g			uuate	a student)
No.	Name	Student number	GPA	Graduation time
1	Nur Imansyah	310104020134	2.65	6 Years 11 Months
2	Gusti Indra Muliawan	310105020310	2.58	5 Years 11 Months
3	Roby Roosady	310105020320	2.44	5 Years 8 Months
4	Nina Herlina	310106020415	3.14	4 Years 11 Months
5	Ridha Faisal	310106020435	3.03	4 Years 11 Months
6	Himalini Alpiyana	310106020447	3.14	4 Years 11 Months
7	M. Freddy Pratama Putra	310106020464	3.07	4 Years 9 Months
8	Lagairi	310106020500	2.83	4 Years 10 Months
9	Asbihannor	310106020512	3.05	4 Years 11 Months
10	Mawardi	310106020524	3.18	4 Years 10 Months
	Average		2.91	5 Years 4 Months

Recapitulation of data that will be processed using the Matlab 2011b. 2.3.

The data to be processed is grouped into six durations of study period groups, namely:

a. ≥ 3,5 years (group 1)

b. ≥ 4 years (group 2)

c. ≥ 4,5 years (group 3)

d. ≥ 5 years (group 4)

e. ≥ 6 years (group 5) and

f. > 7 years (group 6)

The recapitulation of data grouping shown in the following separate table of this paper.

Designing the Artificial Neural Network (Neural Network) 2.4.

The following Figure shows how the NN structure will be built with 3 inputs with 700 layers, and a hidden layer, as well as an output. The JST was built using the NN Toolbox Matlab 2011b.




Figure 3. NN Design (NN Toolbox)

In order to conduct training on the data, adjustments to parameters are required, namely as follows: the number of epoch is 10,000, with a target error to the sum of 1e⁻⁵. Thus on the Matlab, several of the aforementioned settings are as according to the following pseudocodes.

net.trainParam.show = 10; net.trainParam.epochs = 10000; net.trainParam.goal = 1e-5;

The following command can be used to conduct training:

[net,tr]=train(net,input,target);

Afterwards the post training workspace can be saved with the following name:

konfig gabung all.mat

2.5. GUI Design

The following is a GUI to assist in testing and also used as a tool to make predictions of student graduation timing based on GPA on first, second and third semesters.




Figure 4. GUI Design

There are two tabs created for this design. The first tab is named Grade Point Average, where there are three parts that would later have to be filled in with semester grade point values of a student whose graduation is to be predicted. Such filling in must be in numeric form of between 0 through 4, cannot be filled in with letters and if in decimal form, the numbers have to be separated with a dot sign not a comma. If these matters are violated, an error message on the design will appear with the followingscript:

```
if isnan(IPSem_3)
set(hObject, 'String', 0);
errordlg('Input Input Must Be Numeric 0 through 4 or use the dot sign as a replacement for commas', 'Error');
end

if (IPSem_3 > 4)
set(hObject, 'String', 0);
errordlg('Input Input Must Be Numeric 0 through 4 or use the dot sign as a replacement for commas', 'Error');
end
```

470 ■ ISSN: 1693-6930

The second tab is named prediction and on it there are, among others, the following buttons: Process, Reset and Exit, including prediction result writing, and also prediction grouping from six groups that were designed. An error message is designed with the following script if the system cannot make a prediction during the prediction process (the 'Process' button is pressed):

```
if (hasil < 0.7)
    set(handles.text13, 'STRING', '0');
    set(handles.text14, 'STRING', System cannot make a prediction');
end</pre>
```

The 'Reset' button in this section is used to reset the filled in information and prediction result that was done earlier in order to conduct the prediction process on new data. If this reset button is pressed, all grade point semester data will be set as 0 as well as all prediction results and prediction groups. Whereas the 'Exit' button is used to exit from the application (GUI) and close the opened GUI window.

2.6. System testing

There are two ways to do this testing. The first is to automatically conduct testing against all data via a program with the following command:sim(net gabung,input);

Result data can later be seen in the 'ans' variable on the work space, if this variable is clicked later on, it will display the numeric result of the prediction in its entirety from data that was tested. The second way is to take advantage of the GUI that has already been made and test the existing available data one by one. The result of both ways will be filled in to the table already made available (recapitulation table of data to be tested).

19

3. Results and Analysis

3.1. Neural Network Training Result

The following is the result of training conducted against 166 input data on the Neural Network that was created using NNTool on Matlab. The following is the input and target data:

```
input=[3.14 3.43 3.45 2.73 2.64 3.67 3.57 3.86 2.68 2.91 3.19 2.91 2.91 2.86 3.36 2.82 3.23 3.14 2.77 2.64 2.91 3.14 3.36 2.50 2.73 3.18 2.64 2.77 2.10 2.10 2.33 3.05 2.62
2.67 2.29 3.05 2.62 2.24 2.48 2.27 2.57 2.52 2.27 2.45 2.81 2.48 2.48 2.95 2.57 2.62
2.59 2.68 2.36 2.77 1.91 1.95 2.41 2.41 3.18 3.36 2.41 2.50 2.50 2.14 2.52 2.48
3.05\ 3.29\ 2.38\ 3.05\ 2.00\ 2.67\ 2.59\ 2.43\ 2.38\ 2.81\ 2.86\ 2.73\ 2.73\ 2.32\ 2.95\ 2.50\ 2.64
2.09 2.45 2.59 2.48 2.48 2.14 2.90 2.90 2.95 2.10 2.41 1.41 2.32 1.95 2.36 2.14 2.73
2.50 2.36 1.95 2.59 1.95 1.95 2.14 2.57 2.32 2.32 2.59 2.23 2.23 1.45 1.40 2.73 2.45
2.50 2.23 3.00 2.05 1.73 2.48 1.36 2.64 2.45 2.64 2.33 2.19 2.71 2.62 2.42 2.45 2.36
2.36 2.59 2.36 2.45 2.76 2.24 2.24 2.50 2.27 2.09 3.55 2.00 2.55 2.59 2.32 2.68 3.27
2.82 2.09 2.00 2.86 2.18 2.27 1.82 2.36 2.09 2.14 2.41 2.23 1.95 2.09;
3.85 3.23 2.76 2.53 2.53 3.86 3.73 3.79 2.26 3.05 3.42 3.32 3.16 3.05 3.48 3.00 2.76
2.62 2.63 2.53 2.42 3.11 3.00 2.26 2.42 2.79 2.16 1.75 2.75 1.56 2.59 2.81 2.79 2.26
1.65 3.19 2.44 2.44 2.29 1.82 2.26 2.11 2.50 2.67 2.53 2.47 2.95 2.74 2.63 2.21 2.00
2.75 2.53 2.74 2.60 1.67 2.18 2.06 2.13 3.38 2.24 2.05 2.58 1.35 2.82 2.47 2.06 3.00
3.48 1.82 2.32 2.19 2.63 2.50 2.35 2.12 3.16 2.68 2.42 2.40 2.00 2.63 2.33 2.50 2.35
2.50 1.40 1.95 2.47 2.59 2.47 2.79 2.42 2.53 2.18 1.45 1.82 2.43 1.65 2.50 2.45 2.26
2.00 2.33 2.58 1.76 0.88 1.35 2.68 1.67 2.18 2.15 1.69 1.94 1.75 1.00 2.15 1.85 1.72
1.39 2.55 2.61 2.19 2.21 2.25 2.75 2.50 2.21 2.35 1.76 2.42 2.35 2.29 2.00 2.18 2.17
2.17 2.45 2.67 2.89 1.94 1.59 2.65 2.17 2.00 3.23 1.81 2.33 2.55 1.75 1.10 3.14 2.15
1.83 2.00 2.45 1.33 2.45 1.75 2.00 1.56 2.25 3.00 2.22 2.00 2.00;
3.68\ 3.80\ 3.25\ 3.00\ 3.10\ 3.63\ 3.50\ 3.35\ 2.50\ 3.36\ 3.45\ 3.26\ 3.59\ 2.86\ 3.56\ 2.77\ 3.10
2.65 3.20 2.50 2.78 3.19 3.14 2.72 2.61 3.05 3.17 2.73 2.47 2.77 3.11 2.79 2.53 2.11
2.47\ \ 2.86\ \ 2.68\ \ 2.84\ \ \ 2.78\ \ 2.00\ \ 3.00\ \ 2.56\ \ 1.90\ \ 2.48\ \ 2.47\ \ 2.68\ \ 2.50\ \ 2.80\ \ 2.20\ \ 2.72\ \ 2.22
1.90 2.36 2.00 2.55 2.35 2.29 2.72 2.89 4.00 2.06 2.47 2.50 2.50 2.68 2.84 2.38 3.27
3.75 2.38 2.81 2.38 2.87 2.00 2.33 2.35 2.95 2.90 2.67 3.00 2.33 2.48 3.17 2.14 2.32
2.83 2.31 1.81 2.33 2.16 2.61 2.90 2.00 2.45 2.22 2.14 2.27 2.50 2.27 2.56 2.22 2.17
1.67 1.67 2.52 1.88 1.50 2.00 2.72 2.40 2.00 2.33 2.00 2.56 2.00 2.36 2.44 2.67 2.20
1.75 2.90 2.30 2.28 1.83 2.59 2.22 2.38 3.06 2.33 2.27 2.39 2.39 1.89 2.35 2.56 2.39
2.33 \ 2.50 \ 2.29 \ 3.10 \ 2.00 \ 2.00 \ 2.05 \ 2.06 \ 2.19 \ 3.13 \ 2.18 \ 2.67 \ 3.15 \ 2.44 \ 0.56 \ 2.86 \ 1.60
2.24 2.33 2.33 1.75 2.68 2.50 2.18 2.00 2.30 2.57 2.44 1.94 2.00];
```

The training result display is:




Figure 5. Neural Network Training State

In the figure above, the training Neural Network result is shown with 10000 epoch with the best performance grade to the sum of 0.0039396. Whereas the prediction output value

on the regression graph is R=0.99829 (the most ideal value is 1, which shows that between the target and the output result is the same).

472 ■ ISSN: 1693-6930

3.2. GUI Design Result

The following figure shows the running result of the GUI that was created, with input example in the form of the first data in the table of the previous testing (Grade Point in first semester = 3.14; Grade Point in second semester = 3.85; Grade Point in third semester = 3.68).




Figure 6. GUI Display with testing data

3.3. Data Testing Result

Testing will be conducted using script from NN toolbox (first way) and after being given the command: sim(net_gabung,input); Thus the result will be:

ans = Columns 1 through 6 1.0007 1.0001 1.0015 0.9843 1.0395 0.9988 Columns 7 through 12 1.0008 0.9999 1.1106 0.9973 1.0006 2.0023 Columns 13 through 18 1.9967 1.9999 2.0013 2.0025 1.9981 2.0065 Columns 19 through 24 1.9987 3.1285 3.0122 2.9988 2.9992 3.1647 Columns 25 through 30 2.9166 2.9956 2.9955 3.0012 3.0020 3.0057 Columns 31 through 36 3.0053 3.0017 3.0060 3.0152 2.9947 3.0018 Columns 37 through 42 3.0135 3.0182 2.8903 3.0070 3.0080 2.9585 Columns 43 through 48 3.0011 3.0027 3.0074 3.0084 3.0010 2.9758 Columns 49 through 54 3.0081 2.9770 3.0003 3.0021 3.0207 3.0005 Columns 55 through 60 3.0039 2.9997 3.2305 2.9883 3.0005 3.0005 Columns 61 through 66 3.1139 3.0484 3.0253 2.9948 3.0087 3.0937 Columns 67 through 72 3.0007 3.0432 3.0804 3.0014 2.9989 Columns 73 through 78 2.9859 3.0181 3.1091 2.9990 3.0073 2.9788 Columns 79 through 84 3.0206 2.9976 3.0614 2.9886 2.9993 3.0148 Columns 85 through 90 4.0331 3.9185 3.9960 3.9989 4.0394 3.9956 Columns 91 through 96 3.9998 3.9909 3.9832 3.7824 3.9981 3.9902

Columns 97	through 1	02			
3.9571	3.9867	3.9644	4.0136	4.0015	4.0086
Columns 103	through	108			
3.9970	4.0009	3.8415	4.0006	3.9998	4.0030
Columns 109	through	114			
3.9956	4.0725	4.0034	3.9404	3.9875	4.0138
Columns 115	through	120			
3.9997	3.9970	3.9306	4.0033	4.0069	4.0022
Columns 121	through	126			
3.9959	4.0063	3.9992	3.9991	4.0000	3.9912
Columns 127	through	132			
3.9034	4.0055	3.9797	4.0392	3.9875	3.9273
Columns 133	through	138			
3.9885	3.9240	4.0063	3.8194	4.0412	4.0187
Columns 139	through	144			
4.0027	3.9997	4.0109	4.0175	4.0046	4.0139
Columns 145	through	150			
4.0050	4.0018	4.0048	3.9236	4.9777	4.8951
Columns 151	through	156			
4.9985	4.9988	4.9989	4.9626	5.0054	5.0012
Columns 157	through	162			
5.0025	4.9696	4.9986	5.9957	5.9888	5.9605
Columns 163	through	166			
5.9931	6.0490	6.0005	5.9873		

3.4. Result Analysis

The writer tries to compare between pre-test and post-test results (shown in separate table of this paper, Table 3, Table 4 and Table 5).

From the testing and comparison result between data before and after testing (pretest and post-test) shows 99.99% of the system already indicates a maximum result in order to execute time grouping prediction of student graduation based on as many as 166 data.

4. Conclusion

The writer concludes that based on testing and observation against Neural Network design results in order to predict time grouping of student graduation based on as many as 166 data, the NN configuration to be made consists of three (3) input nodes with 700 input layers and one hidden layer as well as an output. Performance shows the best performance figure to the sum of 0.0039396. Whereas the prediction output value in the regression graph is R=0.99829, which means it almost reached the most ideal value, namely one (1), which indicates that between the target and output result is the same. The result of testing done against existing data shows correct results in makinga prediction reached 99.9%, or almost all of its predictions are correct.

References

- [1] Azi M. Prediksi Lama Masa Studi Mahasiswa dengan Metode Fuzzy Sugeno. *Thesis*. STMIK Banjarbaru Kalimantan Sela<mark>71</mark> Indonesia. 2012:1-4.
- [2] Meinanda A, Muhandri S. Prediksi Masa Studi Sarjana dengan Artificial Neural Network. Thesis. ITB. Band 16, 2009.
- [3] Rahmani B. Early Model of Traffic Sign Reminder Based on Neural Network. TELKOMNIKA Telecommunication, Computing, 10 ctronics and Control. 2012; 10(4): 479-758.
- [4] Gupta M, R Kumar, RA. Gupta Neural Network Based Indexing and Recognition of Power Quality Disturbances. TELKOMNIKA Telecommunication, Computing, Electronics and Control. 2011; 9(2): 227-236.
- [5] Bayu AT, Rodiyatul FS, Hermansyah. An Early Detection Method of Type-2 Diabetes Mellitus in Public Hospital. TELKOMNIKA Telecommunication, Computing, Electronics and Control. 2011; 9(2): 287-294
- [6] Hany F, Felix P, Henry K. Enhanced Neuro-Fuzzy Architecture Fod Electrical Load Forecasting. Telkomnika. 2010; 8(2): 87-96.
- [7] Dewi YS. Penerapan Metode Regresi Berstruktur Pohon pada Pendugaan Lama Masa Studi Mahasiswa Menggunakan Paket Program R. Jurnal Ilmu Dasar. 2007: 75-82.

474 ■ ISSN: 1693-6930

Wahyudi A. Prediksi Hasil Ujian Nasional Berbasis Jaringan Syaraf Tiruan. Laporan Skripsi. STMIK Wahyudi A. Prediksi Hasil Ujian Nasional Berbasis Jaringan Syaraf Tiruan. Laporan Skripsi.
 anjarbaru. Banjarmasin. 2012: 1-2.
 Hermawan A. Jaringan Syaraf Tiruan Teori dan Aplikasi. Yogyakarta. Penerbit Andi. 2006.
 20 umadewi S. Artifical Intellegence (Teknik dan Aplikasinya). Yogyakarta. Graha Ilmu. 2003.
 Kusumadewi 17 embangun Jaringan Syaraf Tiruan. Yogyakarta. Graha Ilmu. 2004.
 Purnomo MH, Agus K. Supervised Neural Network dan Aplikasinya. Yogyakarta. Graha Ilmu.

Рар	er 4				
ORIGINA	ALITY REPORT				
1 SIMILA	3% ARITY INDEX	% INTERNET SOURCES	9% PUBLICATIONS	8% STUDENT PA	PERS
PRIMAR\	Y SOURCES				
1	Submitte Student Paper	d to Parkland C	College		29
2	Kurniadi, Wiyoga B Sampling Data for Admissio	ndoko Agustin, Yosep Septiana Baswardono. "C Based Algorith Classification of ns", 2021 Interior Smart Society	a, Asri Mulyan omparison of nm on Imbalar f New Student national Confe	i, SMOTE nced	29
3	Submitte Student Paper	d to Universita	s Brawijaya		1 %
4	Submitte Student Paper	d to Binus Univ	versity Interna	tional	1 %
5	Submitte Manager Student Paper	d to School of I nent ITB	Business and		1 %

Solikhun, Lise Pujiastuti, Mochamad Wahyudi. "Ann: Predicting of State Retail Sukuk Based

1%

on Region in Indonesia", Journal of Physics: Conference Series, 2021

Publication

- Purwono Prasetyawan, Imam Ahmad, Rohmat Indra Borman, Ardiansyah, Yogi Aziz Pahlevi, Dwi Ely Kurniawan. "Classification of the Period Undergraduate Study Using Backpropagation Neural Network", 2018 International Conference on Applied Engineering (ICAE), 2018
- Submitted to Bath Spa University College Student Paper

%

1 %

Zulkarnain Zulkarnain, Suprapto Suprapto,
Taslim Ersam, Fredy Kurniawan. "A Novel
Selective and Sensitive Electrochemical
Sensor for Insulin Detection", Indonesian
Journal of Electrical Engineering and
Computer Science, 2016
Publication

%

Xia Tian, Hou Chengyu, Shen Yiying. "Research on Space Target Recognition Algorithm Based on Empirical Mode Decomposition", TELKOMNIKA Indonesian Journal of Electrical Engineering, 2014

<1%

Publication

Wildan Adji Nasrullah, Judi Prajetno Sugiono, Joan Santoso, Agus Djaja Gunawan.

<1%

"Predicting Student's Failure in Education Based on Dropout Status", 2021 3rd East Indonesia Conference on Computer and Information Technology (ElConCIT), 2021 Publication

- V. le Doussal, M. Tubiana-Hulin, K. Hacene, S. <1% 12 Friedman, M. Brunet. "Nuclear characteristics as indicators of prognosis in node negative breast cancer patients", Breast Cancer Research and Treatment, 1989 Publication Submitted to Universitas Putera Indonesia <1% 13 YPTK Padang Student Paper Submitted to University of Central Lancashire <1% Student Paper Submitted to University of Newcastle 15 Student Paper Zoltán Fazekas, Lászlo Gerencsér, Péter 16 Gáspár. "Detecting change in road environment via analysis of marked point processes associated with traffic signs", Transportation Research Procedia, 2017 Publication
 - Nurhasanah, J Sampurno, O Ivansyah.
 "Detection of Osteoporosis Using Fractal
 Method Based on Fourier Analysis of Hand

Bone Image", Journal of Physics: Conference Series, 2018

Publication

A.V. Malafeev. "Using fuzzy binary relations to <1% 18 characterize total power-load curve", IOP Conference Series: Materials Science and Engineering, 2019 Publication Budi Rahmani. "Early Model of Traffic Sign <1% 19 Reminder Based on Neural Network", TELKOMNIKA Indonesian Journal of Electrical Engineering, 2012 **Publication** Submitted to UIN Sultan Syarif Kasim Riau <1% 20 Student Paper Submitted to Aston University Student Paper Yasameen H. Sabri, W. Z. W. Hasan, A. H. 22 Sabry, M. Z. A. Kader, M. A. M. Radzi, S. Shafie. "Measurement-Based Modeling of a Semitransparent CdTe Thin-Film PV Module Based on a Custom Neural Network", IEEE Access, 2018 Publication

Exclude quotes Off Exclude matches Off